

SECTION F

**STORMWATER FACILITY INFORMATIONAL
SIGN SPECIFICATIONS**




STORMWATER FACILITY INFORMATIONAL SIGN SPECIFICATIONS

The Proponent is responsible for obtaining and installing a metal sign for the stormwater facility. Verify with the County what receiving water names(s) and contact department name and telephone numbers to be affixed to the sign.

The sign shall be installed on the street side of the stormwater facility, or in a location highly visible to passers-by. The sign may be affixed to a pressure-treated wood post and placed in concrete in the ground, or may be firmly attached to a pole or fence adjacent to the stormwater facility. It is the Proponents responsibility or it's successors in interest (the Homeowners Association) to ensure the sign is on the site and to replace same if necessary due to loss, vandalism or theft.

NOTES:




1. SIGN WILL BE ALUMINUM, 1/8" THICK.
2. BLACK LETTERING ON A TAN BACKGROUND.
3. USE BOLD SANS-SERIF FONT STYLE.
4. GIVE PROPERTY MANAGEMENT OR OWNER CONTACT NUMBER.
5. SIGN IS TO BE PLACED 4' INSIDE PERIMETER FENCE.



	ENGINEERING DIVISION
STORMWATER FACILITY SIGN (COMMERCIAL)	SECTION F DETAIL N.T.S.
APPROVED BY CITY ENGINEER <i>[Signature]</i>	DATE 1/1/2014
1.0	

NOTES:

1. SIGN WILL BE ALUMINUM, 1/8" THICK.
2. BLACK LETTERING ON A TAN BACKGROUND.
3. USE BOLD SANS-SERIF FONT STYLE.
4. GIVE HOA OR OWNER CONTACT NUMBER.
5. SIGN IS TO BE PLACED 4' INSIDE PERIMETER FENCE.



	ENGINEERING DIVISION
STORMWATER FACILITY SIGN (PRIVATE)	
SECTION F DETAIL N.T.S.	2.0
APPROVED BY CITY ENGINEER <i>[Signature]</i>	DATE 1/1/2014

